6 May 2020

# **COVID-19 Dental Services Evidence Review (CoDER) Working Group**

Version 1.1 – updated 7<sup>th</sup> May 2020



# Purpose

The COVID-19 pandemic has led to the closure of dental practices or a reduction of dental services all over the world. Some countries are currently reopening or planning to reopen dental services as part of an exit from the lockdown strategy.

In response to the urgent need for guidance, this rapid review has been undertaken to assist policy and decision makers with the production of comprehensive national guidance for their own settings. The review summarises the main themes from recently produced international sources and assesses the extent to which their recommendations were supported by underpinning evidence.

In this evolving situation, information provided by each country may be subject to change.

## Key messages

- This review reports on national recommendations for the re-structuring and reopening of dental services from 11 countries.
- There is a highly variable level of detail given across international sources.
- Most sources recommend patient triage by telephone; some recommend temperature screening at reception.
- Most sources recommend avoiding aerosol generating procedures (AGPs), if possible.
- Filtering facepiece class 2 (FFP2, equivalent to N95) masks are recommended by the majority of international sources for both COVID-19 and non-COVID-19 confirmed cases irrespective of the use of AGPs.
- A minority of sources recommend use of a filtering facepiece class 3 (FFP3, equivalent to N99) mask for AGPs.
- Sources include recommendations on how to reduce the risk of transmission (e.g. use of pre-operative mouthwashes; high volume suction; rubber dam; and Personal Protective Equipment [PPE]).
- In the majority of sources, there is no referenced, underpinning evidence and some areas are unlikely to ever have strong (or any) research evidence.
- All sources emphasise the need to focus on activities that minimise risk (to staff/patients/public) but still support high quality clinical care.
- There is a need to consider the inter-relationship between the appropriate use of PPE (including donning and doffing), AGPs and interventions to reduce aerosol generation.
- Clarity is required on effective cleaning and disinfection processes, including the impact on patient scheduling and practice workflow.

# Background

The World Health Organisation (WHO) declared the coronavirus disease (COVID-19) outbreak as a public health emergency of international concern on the 30 January 2020 and a global pandemic on the 11 March 2020.

COVID-19 spreads primarily through droplets and fomites. The close working environment and the potential for aerosol spread of the virus through dental procedures, such as use of high and low-speed handpieces, ultra-sonic scalers, air/water syringes, intra-oral radiographs or an infected patient coughing, places dental health workers at an elevated risk of infection.

Pandemic planning for dental services typically involves a step-down process, with cancellation of routine care first, then urgent care followed by the provision of emergency care only. In many countries, the move to emergency care provision was rapid. For example, on the 16 March 2020 the American Dental Association proposed that dentists defer all elective dental care for 3 weeks; in Scotland, Wales and Northern Ireland, all aerosol generating practices were stopped on the 17 March and practitioners were told to stop all routine face-to-face dentistry on the 23 March. On the same day in New Zealand, all non-essential and elective dental treatment was suspended. By the end of April 2020, National and Regional Governments and professional organisations had published recommendations or guidance for the re-opening/re-structuring of dental services.

# **Process**

Between the 2 and 6 of May 2020, we conducted a rapid review of recently produced guidance and reports containing recommendations from international organisations and professional bodies on the current requirements for the re-opening of dental services. Our methods were based on the proposed approach for rapid reviews by the WHO and the Alliance for Health Policy and Systems Research.<sup>1</sup>

We conducted a grey literature search to identify relevant guidance documents and liaised with the information scientist of Cochrane Oral Health (COH), who last updated the regular Cochrane search for dental guidelines on the 1 May 2020 (search strategy available on request). We searched websites of dental organisations and departments of health. We also contacted an international network of oral health researchers and decision makers through the Global Evidence Ecosystem for Oral Health (GEEOH). The GEEOH was founded to reduce duplication of effort and create direct routes from evidence to policy and clinical practice and is currently coordinated by COH. The relationship between COH, the Scottish Dental Clinical Effectiveness Programme (SDCEP) and our research group resulted in rapid communication and assistance from several Chief Dental Officers and worldwide dental policy leaders. No language restrictions were applied to the searches and members of our research group were able to translate documents published in non-English languages.

<sup>&</sup>lt;sup>1</sup> https://www.who.int/alliance-hpsr/resources/publications/rapid-review-guide/en/ Page **3** of **36** 

From the identified sources of information, we selected those that provided the most recent and relevant recommendations for the re-opening of dental services. To be eligible, guidance and recommendations needed to have explicitly addressed resuming dental care provision post initial closure due to COVID-19 outbreak, in any area or setting where clinical practice was limited to prevent community infection. National guidance, where available, was prioritised over regional or local guidance. Due to the time constraints in the preparation of this rapid review, we conducted single data extraction and did not formally assess the quality of the guidance documents or validate their sources. Attempts to link recommendations to underpinning evidence were noted.

Prior to the extraction of information/data, the research group reviewed a sample of these sources to identify common domains for policy making across reports. We used these categories to structure our analysis and present our findings.

# **Findings**

We identified a total of 12 guidance documents from 11 countries produced between 18 March and 5 May 2020. The list of countries and details of the documents are presented in Appendix 1. We summarised the common themes and the relevant recommendations in the five domains included within the guidance documents. The five domains identified were:

- 1. Practice preparation and patient considerations.
- 2. PPE for dental practice personnel.
- 3. Management of the clinical room.
- 4. Dental procedures.
- 5. Post-operative cleaning/disinfection/waste management.

The level of detail across international sources varied greatly. It is important to highlight that the absence of a recommendation from a particular document does not imply its lack of importance. For the majority of recommendations addressing specific COVID-19 concerns there was no referenced, underpinning evidence.

# 1. Summary of recommendations related to practice preparation and patient considerations

Theme	Recommendations			
Re-opening tasks	• <b>4/12 (33%)</b> sources include general tasks such as how to reduce risk of contamination e.g. legionella, staff training and machine and equipment maintenance (e.g. IT).			
Supply chain	<ul> <li>2/12 (17%) sources recommend confirming the availability of supplies including PPE.</li> </ul>			
Staff advice and screening	<ul> <li>5/12 (41%) sources provide a range of advice or training in revised protocols including checking that staff are free of COVID-19 symptoms.</li> </ul>			

	<ul> <li>2/12 (17%) sources recommend the daily screening of temperature.</li> </ul>					
Patient triage	<ul> <li>11/12 (92%) sources provide information on how to group patients mainly by telephone to include risk assessment of potential COVID-19 status (e.g. COVID-19 positive, suspected COVID-19, asymptomatic, special need/shielding). Some also recommend temperature screening at reception.</li> <li>1/12 (8%) source indicates that clinicians should confirm patient COVID-19 status in surgery.</li> </ul>					
Patient advice	<b>5/12 (42%)</b> sources provide information on what type of advice to provide to patients attending the surgery (e.g. social distancing, wearing mask, hand hygiene).					
Patient scheduling	<ul> <li>4/12 (33%) sources recommend clear scheduling of patients based on triage.</li> <li>Patients who are vulnerable or with special needs: 2/12 (17%) sources consider the scheduling of appointments to avoid contact with higher risk patients.</li> <li>1/12 (8%) source indicates that patients' appointments should be spread between 20-30 minutes to allow for enough time to disinfect all areas and avoid cross infection between patients in waiting rooms.</li> </ul>					
Waiting area reception	• 9/12 (75%) sources consider social distancing, rearrangement of furniture, patient information posters, wearing of masks, hand sanitiser, removal of magazines/toys and other unnecessary items.					
Toilets	<ul> <li>1/12 (8%) source advises patient use of toilet only with permission.</li> </ul>					
Patient discovered COVID-19 positive after treatment	<b>1/12 (8%)</b> source suggests contact tracing and isolation of close contacts (i.e. dental staff providing treatment).					
Indemnity/insurance	• <b>1/12 (8%)</b> source indicates that clinicians should discuss with their indemnity provider (or equivalent) regarding obtaining consent from patients.					

# 2. Summary of recommendations for PPE for dental practice personnel

Theme	Recommendations		
All staff	• 8/12 (67%) sources indicate that all staff should wear a face mask at all times.		

	<ul> <li>4/12 (33%) sources indicate that all staff should wear eye protection at all times.</li> <li>4/12 (33%) sources recommend wearing of work uniforms to be laundered on site or by laundry service.</li> </ul>				
Unsuspected COVID-19 patients	<ul> <li>12/12 (100%) sources recommend eye protection (glasses/goggles, face shields) and single use gloves.</li> <li>6/12 (50%) sources recommend FFP2 mask or equivalent.</li> <li>4/12 (33%) sources advise surgical hat or equivalent.</li> </ul>				
Unsuspected COVID-19 patients undergoing AGPs	<ul> <li>9/12 (75%) sources recommend disposable surgical gown.</li> <li>8/12 (67%) sources recommend FFP2 mask or equivalent (changed after each patient).</li> <li>6/12 (50%) sources recommend surgical hat or equivalent.</li> </ul>				
Confirmed COVID- 19 patients	<ul> <li>12/12 (100%) sources recommend the following items; eye protection (glasses/goggles, face shields); single use of glove and disposable surgical gown.</li> <li>2/12 (17%) sources advise double gloving.</li> <li>9/12 (75%) sources recommend use of FFP2 mask or equivalent.</li> <li>8/12 (67%) sources recommend surgical hat or equivalent.</li> </ul>				
Confirmed COVID- 19 patients undergoing AGPs	<ul> <li>10/12 (83%) sources recommend use of FFP2 mask or equivalent (changed after each patient).</li> <li>3/12 (25%) sources suggest use of FFP3 masks or equivalent, if available.</li> </ul>				

# 3. Summary of recommendations for management of the clinical room

Theme	Recommendations				
Use of spittoon	• 2/12 (17%) sources state that the spittoon should not be used in dental units.				
Clear work surfaces, minimise equipment and cross infection procedures	<ul> <li>6/12 (50%) sources provide information on how the work surfaces in the clinical room should be kept clear. Examples include limiting paperwork, covering notes with a barrier and removal of artwork. This also extends to ensuring all equipment in sight should be minimised to only that which is strictly necessary to avoid viral cross-contamination. All required equipment/materials should be prepared in advance.</li> <li>2/12 (17%) sources indicate that common contact areas such as the chair lamp, handles and keyboard should be covered with a barrier (e.g. plastic film or aluminium foil).</li> <li>1/12 (8%) source indicates that supporting staff should bring in clean instruments and necessary materials.</li> </ul>				

From waiting area to treatment room	<ul> <li>1/12 (8%) source recommends switching between different treatment rooms if possible, especially following AGPs.</li> <li>1/12 (8%) source states that information on COVID-19 should be posted on the entrance of the clinic.</li> <li>1/12 (8%) source reminds dental staff that there should be no handshaking or contact with patients.</li> <li>2/12 (17%) sources recommend keeping staff levels/entry to a minimum in surgery.</li> <li>4/12 (33%) sources indicate that staff should have all the PPE on before they go into a treatment room.</li> </ul>
Suspected/confirmed COVID-19 patients	<ul> <li>1/12 (8%) source indicates that suspected or confirmed COVID-19 patients should be directed to the treatment room and should not be allowed to wait in the waiting area.</li> <li>1/12 (8%) source indicates that patient treatment should be undertaken in an isolation room with negative pressure.</li> </ul>
Home visits	• <b>1/12 (8%)</b> source indicates that all patients should be asked about symptoms of COVID-19 and social distancing and appropriate cross infection control should be adhered. This includes cleaning of contact surfaces in the patient's home and contact surfaces in the dentist's car.
Air quality	<ul> <li>4/12 (33%) sources acknowledge the importance of ventilation/air renovation of which 2/12 (17%) guidance documents state that at least 15 minutes is required after each patient for ventilation.</li> <li>1/12 (8%) source recommends use of air conditioning in extraction mode only (never in recirculation mode).</li> <li>1/12 (8%) source indicates that a HEPA filter (level 13 or higher) should be used for the suction system.</li> <li>2/12 (17%) sources indicate that the door of the surgery must remain closed to prevent viral spread, with one recommending closure for 120 minutes post-AGPs. One guidance document expands on this to state all drawers and cabinets should also remain closed.</li> </ul>
Patient hygiene	• 2/12 (17%) sources provide information on general patient hygiene in the clinic. For example, patients are requested to disinfect their hands at arrival, should be supplied with appropriate protection (e.g. plastic bib, eye protection) and must perform hand hygiene on completion of treatment and leave the room as soon as possible.
Post-treatment	• <b>1/12 (8%)</b> source indicates that dental staff should leave the treatment room and then remove their visor, eye protection and masks.

٠	1/12 (8%) source recommends the disposal of surgical gowns
	and aprons into a sealed plastic bag.

## 4. Recommendations for dental procedures

Theme	Recommendations				
Reduction of AGPs	<ul> <li>12/12 (100%) sources include recommendations to reduce or avoid AGPs.</li> <li>1/12 (8%) source recommends avoiding using the air-water (3-in-1) syringe.</li> </ul>				
Risk reduction interventions	<ul> <li>11/12 (92%) sources include recommendations on how to reduce the risk of transmission.</li> <li>10/12 (83%) sources recommend rubber dam and high volume suction</li> <li>9/12 (75%) recommend the use of pre-operative mouthwashes</li> </ul>				
High volume suction	<ul> <li>11/12 (92%) sources recommend aspiration to specifically decrease viral load generated by aerosols.</li> <li>1/12 (8%) source indicates that the aspirator tip should be covered with a disposable cover.</li> </ul>				
List of recommended operative procedures	<ul> <li>6/12 (50%) sources explicitly recommend minimally invasive procedures.</li> <li>5/12 (42%) sources include a defined list of procedures that can be carried out.</li> </ul>				
Tailored advice for patient groups	<b>5/12 (42%)</b> sources provide specific advice for different patient groups e.g. COVID-19 asymptomatic; shielded groups; suspected or confirmed COVID-19 positive patients.				

## 5. Summary of recommendations related to post-operative cleaning/disinfection/ waste management

Theme	Recommendations			
Cleaning and disinfection procedures	<ul> <li>9/12 (75%) sources recommend cleaning and disinfection of all surfaces following every patient contact.</li> <li>4/12 (33%) sources recommend cleaning and disinfection of all non-clinical areas (reception, waiting area, toilets) including door handles, chairs, and surfaces.</li> <li>2/12 (17%) sources recommend clinical floor cleaning ranging from 2-3 times daily.</li> </ul>			

PPE during decontamination	<ul> <li>4/12 (33%) sources indicate that staff should wear eye protection, gloves and mask when performing decontamination/disinfection procedures.</li> <li>1/12 (8%) source recommends washing of garments at the highest possible temperature (at least 60 degrees for 30 minutes or between 80 and 90 degrees with 10 minutes of heat contact with clothes).</li> </ul>			
Clinical waste disposal	<ul> <li>4/12 (33%) sources recommend waste be disposed of as per regulations of local system.</li> <li>1/12 (8%) source recommends PPE and other disposable contaminated material should be placed in a plastic bag in a pedal-operated, hard-lid container.</li> </ul>			
Disinfection products	<ul> <li>1/12 (8%) source recommends disinfection products for surfaces, suction and instruments must mention 'viricide agents' (EN 14476).</li> <li>4/12 (30%) sources recommend a hypochlorite/chlorine-based solution for disinfection.</li> <li>1/12 (8%) source recommends routine cleaning and disinfection of room surfaces (e.g. cleaners and water to clean surfaces before applying a disinfectant).</li> <li>2/12 (17%) sources recommends the use of alcohol (60-70% ethanol) for disinfection.</li> <li>1/12 (8%) source recommends the use of chloroxylenol (0.12-0.24%) for disinfection.</li> <li>1/12 (8%) source recommends the use of Virkon<sup>®</sup>, Perasafe<sup>®</sup> as disinfectants.</li> </ul>			
Existing policies on decontamination	• <b>3/12 (25%)</b> sources refer to national guidelines for disinfection and decontamination policies.			
Hand washing	<ul> <li>3/12 (25%) sources recommend hand hygiene following doffing of PPE/decontamination of environment.</li> <li>1/12 (8%) source recommends hand washing with alcohol (60-95%) based hand rub or soap and water for at least 20 seconds.</li> </ul>			

# Conclusion

This rapid review has provided a summary of the international guidance documents published to date. It summarises the main elements of the included documents and highlights several key messages intended to assist policy and decision makers to produce comprehensive national guidance for their own settings. In the majority of the sources addressing specific COVID-19 concerns, there was no referenced, underpinning evidence.

## **Working Group Members**

Jan Clarkson, Clinical Lead	<ul> <li>Professor of Clinical Effectiveness, University of Dundee;</li> <li>Director of SDCEP, NHS Education for Scotland (NES); Joint-Coordinating Editor, Cochrane Oral Health, University of Manchester</li> </ul>			
<b>Craig Ramsay</b> , Methods Lead	Professor and Director, Health Services Research Unit (HSRU), University of Aberdeen			
Magaly Aceves	Research Fellow, HSRU, University of Aberdeen			
Miriam Brazzelli	Reader, HSRU, University of Aberdeen			
Thibault Colloc	Dental Core Trainee, Oral and Maxillo-facial Surgery, Aberdeen Royal Infirmary, NHS Grampian			
Manas Dave	NIHR Academic Clinical Fellow in Oral and Maxillofacial Pathology, University of Manchester			
Anne-Marie Glenny	Professor of Health Sciences, Joint-Coordinating Editor, Cochrane Oral Health, Division of Dentistry, University of Manchester			
Beatriz Goulão	Statistical Research Fellow, HSRU, University of Aberdeen			
Thomas J Lamont	Clinical Research Fellow/Hon. StR in Restorative Dentistry, School of Dentistry, University of Dundee			
Derek Richards	Specialist Advisor, SDCEP, University of Dundee			
Clare Robertson	Research Fellow, HSRU, University of Aberdeen			
Gavin J Wilson	Chief Dental Officer's Clinical Fellow, NHS England and NHS Improvement; StR in Oral Surgery, Leeds Dental Institute			

The COVID-19 Dental Services Evidence Review Working Group would like to thank and acknowledge the contribution of the following individuals for providing the advice and access to the international guidance documents necessary for this rapid review:

Colette Bridgman, Chief Dental Officer, Wales; Alonso Carrasco-Labra, Director, ADA Science & Research Institute; Riana Clarke, National Clinical Director Oral Health, New Zealand; Michael Donaldson, Chief Dental Officer, Northern Ireland; Tom Ferris, Chief Dental Officer, Scotland; Sara Hurley, Chief Dental Officer, England; Marco Landi, Council of European Dentists; Timothy Ricks, Chief Dental Officer, US Public Health Service; James Taylor, Chief Dental Officer, Canada; Benoit Varenne, Dental Officer, World Health Organization.

The COVID-19 Dental Services Evidence Review Working Group are grateful for the help and support provided by Shona Floate, University of Glasgow; Anne Littlewood, Laura MacDonald and Helen Worthington from Cochrane Oral Health; David Felix, Postgraduate Dental Dean, NES and colleagues from NES's Clinical Effectiveness workstream: Samantha Rutherford; Douglas Stirling; Michele West; Linda Young.

# Appendix 1. Details of the identified international guidance documents for the re-opening of dental services

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
Country:	Reception/waiting area:	All staff:	Equipment;	AGPs:	Cleaning and disinfection
France	- Patients to wear masks to attend	Non-clinical staff should wear	Dedicated scrubs for treatment	Dental air polishing should not	procedures:
Source:	practice.	surgical mask at all times and	room.	be used.	Decontamination of reusable
Ordre National	- Masks made available if required	never enter the clinical room.	Ban use of spittoon on dental		PPEs.
des	- Protective screens for reception		units.	Use of blue or red contra angle	
Chirurgiens-	desks.	AGPs;		handpiece instead of dental air	Cleaning of FFP2 masks
dentistes	- Limit use of waiting area.	- Aprons	Clear work surfaces:	turbine.	required during AGPs
(French	- Hand sanitizer available.	- Eye protection	Clear work surfaces in		(reusable for half a day if not
Dentists		- Surgical Hat	proximity of dental unit. Risk of		soiled or damaged).
Association)	Patients triage in groups:	- FFP2 masks	droplet projection within 1.5		g,
Date of	- Group A: "Healthy patients" all	- Single use gloves	meters of the source.		Disinfection products for
publication:	treatments available.	- Extra surgical gown in addition			surfaces, suction and
30.04.2020	- <u>Group B</u> : Shielded patients (over	to PPE	Air quality;		instruments must contain the
00100_0	65yo, cardiac or respiratory	lott E	Air treatment room at least 15		mention 'viricide agents' (EN
Awaiting	disease, immunosuppressed):		minutes between patients		14476).
approval from	case by case discussion for non-		following AGPs.		
the French	urgent treatment (dedicated				Laundry:
Haute Autorité	slots).		Use of HEPA filters (level 13 or		Dental scrubs should be
de Santé (a	- Group C: High risk COVID-19,		more) for suction system.		washed on site and never
governmental	patients who had close contact				leave the practice.
body for health	with confirmed COVID-19:				
guidelines).	Emergency treatment on				Clinical waste disposal:
g	dedicated slots, delay of non-				Immediate access to
http://www.ordre	urgent work (review 14 days				disinfection tray with cover and
-chirurgiens-	incubation).				clinical waste container in the
dentistes.fr/inde	- Group D: Confirmed COVID-19				treatment room.
x.php?id=161&t	patients: emergency treatment				
x ttnews%5Btt	on dedicated slots. Delay non-				Single use items should be
news%5D=999	urgent treatment (15 days				trashed after use.
&cHash=8a653	following start of symptoms or 24				
37d9f447fe9737	days if immunosuppressed.				All clinical waste and PPE
45e3fb45d702f	- No serology test or diagnostic				should be eliminated using the
	test in dental practice.				infectious waste pathway.
Country:	Reopening surgery:	All staff:	Minimise equipment:	Tiered procedure levels	Cleaning and disinfection
Spain	- Clinical staff health status needs	Reception staff should wear a	Before the patient enters:		procedures:
Source:	to be checked and staff to	surgical mask and, if possible,	Organise the strictly necessary	Level of severe restrictions	Use thick gloves for cleaning
Council of	receive appropriate training on	glasses.	material and instruments, and	(A) corresponding to the	and disinfection. The use of a
Dentists.	protocols, procedures, and	J	PPE. Avoid viral cross	lockdown period:	double pair of gloves is
Collegial	materials.	Non AGPs:	contamination by placing	Urgent Care. Assess severity	recommended. Once the
Organization of	- If possible, do a simulation prior	- Single use of FFP2 masks	unnecessary material or	of the patient. Address severe	treatment is finished, remove
- gam_anon or	to the arrival of patients.	without valve for up to 4	instruments out of sight. The	pain, inflammation and/or	the external pair keeping the

#### Post-operative Practice preparation and PPE for dental practice Management of the Reference **Dental procedures** cleaning/disinfection/waste patient considerations personnel clinical room management hours. Possible to re-use the placement of plastic or internal pair until completion of Dentists in infection, severe trauma, major Spain **Reception area:** mask after sterilization if not aluminium film in certain areas postoperative bleeding. the collection, transport, Date of - Cleaning of shoes. damaged (2 or 3 sterilizations (those considered to be at Professional criterion: Anv cleaning and disinfection of publication: permitted). greater risk of splashing or activity that in the dentist's material and instruments. - Methacrylate screen in the - Dealing with a symptomatic 13.04.2020 aerosols) can be useful. All opinion should not be delayed. patient reception area. Latest update: patient: no need of a mask if common contact areas of the Doffing procedures after - Visible line to indicate a security 01.05.2020 equipment (e.g. chair lamp Level of important treatment and general 2 meters away; use of distance of approximately 1.5 restrictions (B) the first handle, etc.) should be hvaiene: surgical mask if 1 to 2 meters meters from reception desk. https://www.con away; use of FFP2 mask if <1 covered with plastic film (or deescalating phase: Glove hygiene (for at least 20 - Person at the reception should sejodentistas.es aluminium foil) between Minimally invasive seconds), remove the gown meter away. wear a surgical mask and, if /comunicacion/a - Double pair of nitrile or latex patients visits. restorations, restorations that trying not to touch the clothes, possible, glasses. ctualidadgloves. do not require high-speed use remove the external pair of consejo/notas-Closed clinic rooms: using absolute isolation and gloves, then remove the - Eve protection Waiting room: specific indications. Do not de-prensa-- Waterproof disposable gown, The door of the clinic must be glasses, disposable caps, - Remove all unnecessary items consejo/item/17 cap, and shoe covers closed to prevent viral spread generate aerosols or, if masks, and the internal pair of such as decorations, coffee 83-planthat may occur during necessary (emergencies), gloves. Then wash your - Avoid wearing rings, makers, magazines, books, etc. estrategico-debracelets, pendants, watches, treatments. minimise them, always with a hands. - Chairs placed in a way to rubber dam. Extractions accion-paraor other accessories respect social distancing and at clinicas-Patient preparation: (preferably non-surgical). Cleaning and disinfection least 2 metres apart. dentales-AGPs: Before starting any procedure. Manual scaling (not ultrasonic protocol: durante-elpatients should disinfect their or sonic), manual periodontal Surfaces must be disinfected - Shoe cover Toilets: periodo-dehands, wear a disposable procedures, prosthodontic after patient contact and all - Hand hygiene (for at least 40 - Remove bathroom towels or desescalada.ht down and for those procedures without carving. instruments should be seconds) hand dryers and replace with interventions that generate Professional assessment of sterilised. The floor of the ml - Protective gown, disposable paper. aerosols eve protection. Use urgent endodontic procedures clinical area must be cleaned cap, and gloves, mask, and - Provide instructions on proper only disposable cups. (with absolute isolation, prior at least 3 times: at the eve protection hand washing. disinfection of the consumer, beginning of the morning, at - Avoid touching your face and surrounding surfaces while preferably with sodium noon and at the end of the Patient advice: hypochlorite). Professional wearing PPE. working day. Protective With the exception of children and assessment of some glasses and screens must be persons in need, patients should implantology procedures disinfected between patients. come alone. without high speed. - Avoid wearing jewellery or Assess relevance of sealants Ventilation and air accessories. in all medical or preventive purification: - Mobile phones must be stored procedures and orthodontic During aeration, no drafts and not used in the dental treatments (care with polishing should occur (close door). practice. after removal of brackets). - A distance of at least 2 meters Waste and contaminated mush be observed if another Level of moderate material: patient is present in the dental restrictions (C): Progressively PPE and other disposable practice. normalise high-speed use, contaminated material should - Payment should be arranged extreme caution in relation to be placed in a plastic bag in a preferably by cards. PPE, incorporate restorative pedal-operated, hard-lid container. Patient scheduling:

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
Countrus	<ul> <li>Patient temperature should be taken at arrival and invited to wash hands at arrival.</li> <li>Patients should be offered a surgical mask and a disposable cap.</li> <li>If children and adults need to be seen it is advisable to differentiate schedule.</li> <li>Ensure that patients waiting time does not exceed 15 minutes.</li> <li>Use an appropriate booking system to minimise the number of patients in the waiting room.</li> <li>Patients should not wander around.</li> </ul> Postoperative instructions to patient: <ul> <li>Explain to the patients that elective procedures may be deferred or reassessed.</li> <li>Avoid shaking hands.</li> </ul>	All staff:		dentistry and application of sealants. Ultrasonic scaling in selected patients. Incorporate the rest of the treatments, adopting all the updated protocols. Level of minimal or unrestricted restrictions (D) Standardised care, but continued PPE use is recommended for the long- term. Avoid aerosols: Avoid using the air-water syringe to generate aerosols. High volume suction: Use high flow aspiration to decrease the viral load generated by aerosols. Cover the vacuum cleaner hose with a disposable cover. Rubber dam: The use of the rubber dam is essential in any operative manoeuvre. Use of disposable covers is highly convenient, in addition to the necessary sterilization. Mouthwash: Patients should mouthwash for 30 seconds to decrease the viral load when proceeding with intraoral examination. AGPs:	Cleaning and disinfection of the clinic at the end of the day: <u>Common zones and reception</u> <u>area:</u> Cleaning and disinfection of all common areas including window knobs, handrails, tables, armrests for chairs and armchairs, switches, telephones, etc. <u>Bathing area:</u> Cleaning and disinfection of the sink, switches, toilet. Floor scrubbing with bleach. <u>Disinfection and sterilization</u> <u>area:</u> Autoclave and thermostable cleaning and disinfection. Clinical areas must be cleaned at least 3 times a day (at the beginning, at the end of the morning and at the end of the day).
Country: Portugal Source: Direcao Geral da Saude	Practice reopening general advice: - Ensure that all professionals are informed about this plan.	The receptionist should have a surgical mask, safety spectacles, face shields, clinical uniform, and shoes.	Before the appointment: Promote air circulation, preferably by opening windows.	Risk of dental procedures to COVID-19 transmission. All procedures that generate aerosols are considered high	cleaning and disinfection procedures: Cleaning and disinfecting all surfaces outside the surgery

Practice preparation and

patient considerations

- Ensure patients have access to

respiratory good practice, hand

- Remove all unnecessary items

makers, magazines, books, etc.

- Promote the circulation of air in

the waiting room, preferable

- Protect surfaces that might be

exposed to hand contact with

that is disposable (e.g. lamp

handle, rotating instruments

Ensure surgical masks are

available and an alcoholic

clinical practice. The mask

only be removed once the

- Prior to the appointment, a

symptoms compatible with

or worsening of a previous

cough or fever or breathing

difficulty in the last 14 days.

- If in contact with a suspected or

if patient has been diagnosed

ves, ask if the patient is still in

self-isolation (14 days).

confirmed case of COVID-19 or

with COVID-19. If the answer is

patient is in surgery.

Patient triage:

solution at the entrance of the

should be used in the reception

and waiting room and should

- Triage prior to the appointment.

remote triage should be done to

assess whether the patient has

having COVID-19: new cough

plastic barriers or aluminium foil

with windows and doors

such as decorations, coffee

information related to

Reception area:

opened.

etc.).

hygiene and mask use.

#### Post-operative Management of the **Dental procedures** cleaning/disinfection/waste clinical room management If A/C is available, it should be risk, including root canal must be undertaken with 1 to 2-hour breaks. used only in extraction mode, treatments and all activities never in recirculation mode. using rotating instruments (polishing included) or an air-The equipment should be Cleaning and disinfection of all checked and certified. water syringe. surfaces in the surgery must be done after every Disinfect surfaces, particularly During the appointment: appointment. those that are touched - Avoid, whenever possible, frequently, according to aerosol generating Reusable material: Guidance 014/2020 from the procedures. Reusable spectacles or Chief Medical Office. - Instruct the patients, before googles must be disposed in a any procedure, to mouth disposable board and sprayed Minimise equipment: with alcohol 70 degrees or wash for 30 seconds with a Prepare in advance all the immersed in a chlorine hydrogen peroxide solution material you expect to use to 1% or iodopovidone 0.2%. solution as indicated by Guidance 014/2020 from the avoid the circulation of people - Use surgical suction to and the opening of drawers. decrease aerosol DGS. generation. Face shields must be sprayed Clear works surfaces: - Use rubber dam when with alcohol 70 degrees in a Remove all iewellerv and disposable board. appropriate. accessories to see patients. - Use rotation instruments with non-return valve 3 and Washing of garments: Staff general hygiene: disposable protections. Garment parts of PPE that are Keep nails clean and short. washable must be removed - Prioritise extraoral The use of acrylic nails. carefully, without shaking radiographs compared with them, from inwards to shellac, nail varnish or any intraoral. other nail products is not outwards, and put into a - Prioritise re-absorbable permitted sutures after extractions. waterproof bag. They must be washed at the highest After treatment/room temperature possible. decontamination: Clean and disinfect If the garment cannot be immediately all surfaces and washed with hot water, it must work environment. be washed in washing Renovate the air at the end of machine, at 30 to 40 degrees each appointment. with an appropriate Assure effective disinfection of disinfectant.

- Safety spectacles or face shields (with inferior opening) For cleaning, disinfecting and sterilization procedures, the dental assistant should wear

#### - Disposable apron on top of the clinical garment

models and moulds.

Follow all universal principles

of sterilization and disinfection

When undertaking procedures

of disinfection in the surgery,

after the appointment and in

the transport of used material

PPE for dental practice

personnel

For non-COVID-19 patients:

the procedures undertaken

during the appointment.

Oral health professionals

involved in seeing patients

For COVID-19 patients:

For high risk procedures

(aerosol generating) or for

patients with suspected or

confirmed COVID-19 in

sits below the knee

sterilized

- Safetv shoes

- Hairnet

suit.

emergency situations:

Oral health professionals should

use PPE according to the risk of

should use PPE according to the

- Surgical Apron - open in the

with long sleeves and that

- Mask FFP2 (N95) or FFP3;

shields (with inferior opening)

- Gloves - disposable and non-

- Safety spectacles or face

For high risk procedures, the

use of a double pair of gloves

(long sleeve) or a full protection

For low risk procedures (that do

back, disposable, waterproof

Norm 007/2020 from the DGS.

- Mask FFP2 (N95)

not generate aerosols):

In the absence of a washing machine, pack the garment and put it into a waterproof bag, safely enclosing it until it reaches the washing place. Put the garment directly into

Reference

(Directorate-

publication:

https://www.das

dgs/orientacoes

informativas/ori

01052020.aspx

-e-circulares-

entacao-n-

0222020-de-

.pt/directrizes-

01.05.2020

General of

(DGS)

Health)

Date of

da-

#### Post-operative Practice preparation and PPE for dental practice Management of the Dental procedures cleaning/disinfection/waste patient considerations personnel clinical room management PPE as indicated in the point x to the sterilization room, the the washing machine, If the patient has symptoms with surgical mask type IIR dental assistant should following the points above. compatible with COVID-19, the remove the first pair of gloves In addition, they should use a patient should contact the National waterproof apron and thick and only after remove the Health Services telephone line and gloves. remaining PPE, after all an appointment should not be If reusable, the safety material has been stored. scheduled until the patient has spectacles or face shields must Bin all PPE and disposable recovered respecting the selfbe disinfected before and after materials in the contaminated isolation period. each appointment. material bins (type III or IV). If the patients has symptoms or When removing PPE, the first has COVID-19, and the problem is pair of gloves must be removed Collect all used material and before removing the remaining urgent, consider booking the take it to the sterilization room. appointment at the end of a PPE, and leave the second pair morning or afternoon, in preof gloves until the end (Appendix specified times. IV) Patient scheduling: The clinical and assistance staff Book appointments in advance should have all the PPE on and remotely to avoid having before they go into surgery. patients in the waiting room. Before the appointment patients should receive this information: Patients should come alone. If that is not possible, the accompanying person should wait outside of the practice or in the waiting room with a mask on. If the accompanying person needs to be in surgery, they should sit over 2 meters away from dental equipment. - Patients need to wash their hands with an alcoholic solution provided, avoid touching surfaces, and there should be a preference

for card payment.

closed.

During the appointment: Ensure personal objects are not visible during the appointment and that they are disinfected regularly and keep the door of the surgery

Reference

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
Country: Switzerland Source: SSO (Dental Swiss Society) Date of publication: Published 17.04.20 Effective from: 27.04.20 https://www.sso. ch/home/corona virus.html	<ul> <li>Staff advice/screening: <ul> <li>Minimize number of staff in contact with patients.</li> <li>Staff must adopt social distancing at all time.</li> <li>If a member of staff is showing symptoms. Self-isolation for 10 days tested or not and return to work 48 hours after the end of symptoms following the 10 days of self-isolation.</li> </ul> </li> <li>Reception area: <ul> <li>If possible, use protection screens at the reception desk.</li> <li>Disinfect phone after each use if used by different people.</li> <li>Remove all unnecessary items from the waiting area.</li> <li>Minimize the number of staff touching drawers handles, folders, patients' notes, keyboards and disinfect them regularly.</li> </ul> </li> <li>Patient scheduling: <ul> <li>Allow longer appointment than usual.</li> <li>Only one patient at a time per dental chair in the practice.</li> <li>Vulnerable patients (shielded patients) and possible treatment following COVID-19 symptomatic/asymptomatic patients:</li> <li>Patient scheduled at specific slots in order to avoid any contact with other patients.</li> <li>Professional discussion and opinion regarding pros and cons for treatment or delay.</li> <li>If any risks, elective procedures should be delayed.</li> </ul></li></ul>	All staff: All staff must wear a mask all day. PPE for non COVID-19 patients: - Surgical mask - Disposable gloves - Eye protection - FFP2 mask for AGPs PPE for COVID-19 patients: - Disposable gloves - Eye protection - Surgical gown - FFP2 masks for at least 30 min following AGP and for the whole time the patient is present in the treatment room	Staff general hygiene: - Hair must be tied high and use of a hat if possible - Nail short and no nail polish - Hand hygiene with cold water and soap - Hand hygiene with hand sanitizer - No treatment if these measures can't be respected Air quality: It is forbidden to provide treatment in a room without a window or adequate ventilation. After each patient, the room must be ventilated for at least 15 minutes and disinfected (disinfectant solution instruction for estimated time of action must be strictly followed).	<ul> <li>Asymptomatic patients: Possibility to provide treatment with the following precautions:</li> <li>Wear of surgical mask during the whole working day</li> <li>Before treatment, ask patient to use viricide mouthwash (1.5% H2O2 solution or povidone-iodine solution for 30 seconds)</li> <li>Treatment with rubber dam when possible. Do not forget to disinfect rubber dam.</li> <li>Use both high and low speed suctions</li> <li>Limit as much as possible AGPs. If it is necessary, dental team should wear FFP2 masks.</li> <li>Scaling only with hand scalers</li> <li>Patient suspected or confirmed COVID-19: Only emergency treatment that cannot be postponed. Treatment must take place in a 'COVID-19 treatment room' apart. No contact with other patients in the practice should happen.</li> <li>Patient must wear a surgical mask when he arrives.</li> <li>Dental team must wear FFP2 30 minutes after the end of AGP and as long as the patient is in the treatment room.</li> <li>This patient group can be referred to hospital setting</li> </ul>	Cleaning and disinfection procedures: Wear of mask, gloves and eye protection during cleaning/disinfection procedures. Follow hygiene guidelines implemented by the SSO. Regular disinfection of all surfaces (following disinfectant solution instructions). Disinfection of keyboard and computer screen after each patient. Clean with soapy water and disinfectant all that patients or staff are susceptible to have touched. Every hour: • Waiting area seats • Door handles

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	Patient triage:			or dedicated emergency	
	<ul> <li>Patients triage over the phone</li> </ul>			centre for COVID-19.	
	with discussion regarding				
	symptoms and close contact			General rules applying to all	
	with potential COVID-19 cases. - If deemed necessary, staff can			- Avoid as much as possible	
	provide surgical mask to			AGPs (if necessary, use	
	patients to wear while in the			rubber dam if possible).	
	practice.			- Generalise use of rubber	
	- Highly recommended to screen			dam.	
	patient's temperature. If			- Low and high-speed suction	
	>37.5°C, send patient back			simultaneously.	
	home and delay treatment.			- No treatment can be	
	<ul> <li>Patients should directly go to the treatment room.</li> </ul>			provided without adequate PPE.	
	- Exceptionally, they can wait in			PPE.	
	the waiting area for up to 15				
	minutes with 2m social				
	distancing measures.				
	- Patients should wash their				
	hands before start of treatment.				
Country:	Staff advice:	All staff:	Treatment room:	Treatment types	Cleaning and disinfection
Belgium	- Any member of the team with	All staff should wear at	- Turn off air conditioning.	Urgent treatment (treatment	procedures:
Source: Conseil de l'Art	symptoms should self-isolate. - If diagnosed positive for	least a surgical mask at all time.	<ul> <li>Make sure the room is well ventilated (open windows).</li> </ul>	<b>Urgent treatment</b> (treatment required within 24h):	<ul> <li>the virus can survive for a long time</li> </ul>
Dentaire on	COVID-19, self-isolate for 7	Non-AGP:	- Remove or cover all	- Oral infection with facial	- Wear a mask, apron and
behalf of the	days following symptoms and at	For treatment:	unnecessary items on	swelling and general	cleaning glove.
Service Public	least 3 days without a fever.	- Surgical mask	working surfaces.	symptoms	- Remove all visible stains
Fédéral de	- If you think you are a potential	- Single use gloves	- Prepare in advance all	- Oral bleeding	first with soapy water
Santé Publique"	risk without symptoms, same	- Protection apron with long	required equipment or	- Dental trauma	<ul> <li>Dry and then disinfect all</li> </ul>
Date of	rules apply.	sleeves (or change scrubs	materials for treatment.	- Severe pain not controlled	surfaces with disposable
publication: Published	- Enhanced hand hygiene.	between each patient)	From waiting area to	with analgesia	wipes
19.04.2020	<ul> <li>Working uniform replaced regularly.</li> </ul>	<ul> <li>Eye protection (visors recommended)</li> </ul>	treatment room:	Required treatment:	Disinfectants advised
Latest update	- Working shoes or shoes with	recommended)	- Keep social distance at least	- Oral infection not controlled	are:
30.04.2020	show protection within the	AGPs:	1.5m.	following antibiotics course	- Alcohol 60% to 70% ethanol
-	dental practice.	- Surgical gowns with long	- Open the doors yourself.	- Oral pain difficult to control	- Chloroxylenol 0.12-0.24%
https://organesd	- Try and limit the number of	sleeves	- If possible switch between	with analgesia	(Dettol)
econcertation.s	surfaces you touch.	<ul> <li>Eye protection + visor</li> </ul>	different treatment rooms	- Treatment following dental	- Bleach 0.1-0.5%
ante.belgique.b	- Respect social distancing (1.5	- Gloves	especially following AGPs.	trauma (RCT, removal of	<b></b>
e/fr/documents/t ableau-de-	to 2 meters).	For a diamate D4 1 D0 1		splint)	Floors should be
	<ul> <li>Limit the number of staff to the</li> </ul>	For patients B1 and B2, use of	Ban of Dental Unit Spittoon	<ul> <li>Completion of RCT</li> </ul>	cleaned every half day.
reprise-des-	strict minimum.	FFP2 masks.		- Follow up of implant case	

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
activites-de-lart- dentaire	<ul> <li>Regular disinfection of common areas.</li> <li>Waiting area: <ul> <li>Remove any unnecessary items (toys, reading material etc.).</li> <li>Seats placed in a way to respect social distancing.</li> <li>Only one patient in waiting area at a time with eventual accompanying person if necessary.</li> </ul> </li> <li>Toilets: <ul> <li>Close toilet room.</li> <li>Possible to use they by asking staff.</li> <li>After each use, the room should be disinfected.</li> </ul> </li> <li>Reception desk: <ul> <li>Respect social distancing.</li> <li>All documents should be sent electronically if possible.</li> <li>Contactless payment should be favoured. Protective screen on payment machine or disinfect after each use.</li> </ul> </li> <li>Patient triage based on the following patient groups: <ul> <li>Group A1: COVID-19 positive. Postpone any treatment and refer to hospital setting. No treatment unless absolute emergency</li> <li>Group A2: Suspected COVID-19 positive. Symptomatic patient or patient who has been in close contact with a confirmed case.</li> </ul></li></ul>	Supporting staff should limit presence in treatment room but if needed should wear eye protection, gloves, surgical mask.	<ul> <li>Supporting staff brings in clean instruments and any necessary material.</li> <li>Dental nurse assists by trying to limit cross infection as much as possible (suction).</li> <li>After treatment: <ul> <li>Patient should perform hand hygiene and leave treatment room as soon as possible.</li> <li>Dental team should remove surgical gown and apron and place them in a plastic bag then sealed.</li> <li>Removal of gloves and hand hygiene.</li> <li>Leave treatment room and then remove visor, eye protection and eventual FFP2.</li> <li>Hand hygiene.</li> </ul> </li> <li>Wear a surgical mask again.</li> </ul>	<ul> <li>Dental fracture or loose filling</li> <li>Fit of prosthesis</li> <li>Denture ease</li> <li>Orthodontic maintenance (debonded bracket, broken arch wire)</li> <li>Follow up of patients with severe periodontal disease</li> </ul> <b>Routine treatment:</b> <ul> <li>All other dental treatments</li> <li>Patients should use mouthwash 1%H<sub>2</sub>O<sub>2</sub> solution or Povidone lodine 1% solution for one minute before spitting in a disposable cup</li> <li>Limit use of intra oral radiographs</li> <li>Limit use of 3-in-1 syringe</li> <li>Use of rubber dam when possible including any tooth preparation. Placed prior to start AGP</li> <li>Use large suction tip</li> </ul>	<ul> <li>Clean instruments from any visible stain.</li> <li>Use autoclave and thermodisinfection prior to reuse instruments.</li> <li>Ventilation and air purification: Ventilate the treatment room according to the amount of AGP.</li> <li>Laundry: Working uniform washed daily at 60 degrees minimum.</li> </ul>

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	<u>Group B1</u> : Asymptomatic patient with high risk conditions (shielded patients). Only urgent or required dental treatment (FFP2). If further treatment, case by case discussion and professional advice. Patients should be scheduled at the beginning of the day. <u>Group B2</u> : Asymptomatic patient with special need (patients having more difficulties with social distancing). Prioritise urgent treatment, then required treatment and then routine treatment. Scheduled at the end of the day. (use of FFP2) <u>Group C</u> : Asymptomatic				management
	patients. Dental treatment can be provided prioritising urgent treatment, then required treatment and then routine treatment.				
	<ul> <li>For patients:</li> <li>Treatment is provided only with appointment</li> <li>If patient shows symptoms following appointment booking, they should contact the practice by phone</li> <li>Patient should not present early to the practice</li> <li>If necessary they should wait outside the practice</li> <li>Patients should come wearing a</li> </ul>				
	mask - Favour electronic payment When patient arrives to practice: - Hand hygiene				

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
Country: Norway Source: Norway	<ul> <li>Ask about household and close relatives' status in relation with COVID-19</li> <li>Ask or screen patient for temperature (if &gt;37.3°C refer to GP)</li> <li>Patient should then seat in waiting area without touching door handles if possible</li> <li>Staff advice/ personal hygiene and physical contact:</li> <li>Avoid any unnecessary physical contact</li> </ul>	Laundry: Washed daily at 85 degrees at laundry or dental clinic. It should not be taken home.	Minimise equipment: - Clean surfaces including desks and shelves - When AGP, only one	Non-COVID-19 patients: - Hand hygiene when entering clinical room - Mouthwash with 1% H <sub>2</sub> O <sub>2</sub>	Cleaning and disinfection procedures: All surfaces that the patient has touched (e.g. chair, door
Directorate for Health; Dental Health Service Date of publication: 19.04.2020	<ul> <li>Hand hygiene arranged for staff and patients on arrival and after treatment completion</li> <li>Avoid use of rings, watches and similar jewellery</li> <li>Assess common touched areas</li> </ul>	Non-COVID-19 patients: - Disposable gloves and adequate hand hygiene before and after use - FFP2 or FFP2R, change	patient present in the room - All doors, drawers and cabinets closed before start of treatment Patient/staff flow:	for at least 1min prior to dental treatment - AGP with turbine and contra angle should be minimized - Ultrasounds and airflow should not be used	handles, toilets) are disinfected according to normal routine decontamination <b>Disinfection products:</b>
Latest update 30.04.2020 <u>www.helsedirekt</u> <u>oratet.no</u>	and whether contact can be reduced - Equipment used is cleaned between each patient Waiting room:	<ul> <li>between patients</li> <li>Eye protection (visors recommended)</li> <li>Cover clinical tools with plastic cover disinfected between patients</li> </ul>	Suspected/Confirmed COVID- 19 patients should not wait in waiting area but should be directed into a treatment room with closed door. Dental team should enter the room	<ul> <li>AGP preferably done at the end of the day</li> <li>Short ventilation of treatment room between patients following AGP</li> <li>Dentists should work with</li> </ul>	SARS-CoV2 is sensitive to disinfectants such as Virkon <sup>®</sup> , Perasafe <sup>®</sup> and alcohol with concentration of 70%. Household chlorine can be used at a concentration of at
This guideline is part of a comprehensive document, which details all aspects of the	<ul> <li>Posters for patients' information</li> <li>Minimize number of patients at the same time. Consider adding breaks between each patient to do so.</li> <li>Social distancing if several</li> </ul>	<ul> <li>Hat or hood covering all hair if available</li> <li>AGP with non-COVID-19 patients:         <ul> <li>Long sleeved disposable or</li> </ul> </li> </ul>	after wearing full PPE.	the assistance of dental nurse - Any conversation with patient should take place in the treatment room	least 1000 ppm. Clinical waste disposal: Waste management as per local waste management procedures based on the
Norwegian health and social care during the COVID-19	patients. Use of tape on the floor and re-furnish if necessary. - Avoid unnecessary objects in waiting areas (reading material	reusable gown, changed between patients Suspected/confirmed COVID- 19 patients:		Suspected or confirmed COVID-19: - AGP should be avoided as much as possible. - If necessary, use of vacuum	Regulations on infectious waste from health services.
pandemic. Section 5.5 of the document relates to Dental Health.	<ul> <li>Avoid food and drinks</li> <li>Patient triage: <ul> <li>All patients should clarify their status over the phone prior to attend (forms to be used)</li> </ul> </li> </ul>	<ul> <li>Disposable gloves and adequate hand hygiene before and after use</li> <li>FFP3 (alternative FFP2)</li> <li>Eye protection (visors recommended)</li> </ul>		<ul> <li>Inflecessary, use of vacuum suction and rubber dam is used is possible. (placed prior to start AGP)</li> <li>Extra oral X-ray should be considered instead of intra oral X-ray</li> </ul>	

6 May 2	020
---------	-----

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
www.helsedirekt oratet.no	<ul> <li>No patient should attend the dental clinic without appointment</li> <li>Consider whether physical consultation is necessary</li> <li>Prior to treatment/examination, patient's infection status must be considered</li> <li>Treatment of patients suspected or confirmed COVID-19:         <ul> <li>Treatment should be postponed</li> <li>Prescription should be used when justified as an alternative to operative dentistry</li> <li>Emergency treatment should be referred to established emergency clinics</li> <li>Emergency clinics for COVID-19 should only treat this group of patients</li> <li>Patient should wear surgical mask on arrival unless not tolerated for medical reasons</li> <li>Hand hygiene on arrival and when they change rooms</li> <li>Surgical mask removed only for dental examination and treatment and after dental team wear all PPE</li> <li>Patient wears surgical mask when treatment is finished</li> <li>Mouthwash with 1% H<sub>2</sub>O<sub>2</sub> for at least 1 min prior to dental treatment</li> </ul> </li> </ul>	<ul> <li>Cover clinical tools with plastic cover disinfected or changed between patients</li> <li>Long sleeved disposable or reusable gown, changed between patients Hat or hood covering all hair</li> </ul>		<ul> <li>Resorbable sutures should be used to reduce need of reviews</li> <li>Treatment types: Prioritization of treatment in non-suspected COVID-19 patients (in order of priority):</li> <li>Emergencies (acute infections, trauma, pain)</li> <li>Condition potentially leading to infection</li> <li>Loose crowns/bridges/fillings</li> <li>Deep caries or other conditions potentially leading to pain or infection if untreated</li> <li>Delivery of prosthetic devices</li> <li>Orthodontic treatment needing adjustment</li> <li>Sedation treatment</li> <li>Regular recalls</li> <li>Aesthetic treatments</li> <li>Treatment of minor caries lesions and mild forms of periodontitis</li> <li>Starting comprehensive treatment plans that can wait (prosthetic and orthodontics)</li> <li>Case by case professional judgment must be made</li> </ul>	
	post treatment: conduct infection detection + close contacts should isolate for 14 days - Disinfection of the clinic should take place asap (anybody who			and deviations from the recommendations should be recorded	

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	was not in close contact can work again after disinfection of the practice was performed)				
	<ul> <li>Patients with special needs should be identified and follow up should be clarified with GP:</li> <li>Children and adolescent with special needs or diseases</li> <li>Drug users, mental ill patients, prison inmates</li> <li>Shielded patient with high risk of developing severe form of COVID-19 or becoming seriously ill as a result of oral infection</li> </ul>				
Country:	Re-opening practice:	General hygiene:	Home visits:	Suspected/confirmed	Cleaning and disinfection
Denmark	To minimize the risk of infection	National Infection Hygiene	Focus must be on infection-	COVID-19 patients:	procedures:
Source:	with Legionella, attention should	Guidelines (NIR) for dental	reducing measures: upon	Dental workers must use	National Infection Hygiene
Danish Health Board	be paid to flushing of water systems/dental units, when	clinics must be adhered to and the focus should be on the	arrival at home, it is recommended that all citizens	protective equipment with any AGP and the room aired briefly	Guidelines (NIR) for dental clinics must be adhered to and
Date of	reopening dental clinics	proper use of PPE. All members	be asked about symptoms of	afterwards.	the focus should be on
publication:	reopening dental clinics	of the dental team use the same	COVID-19; keep 1-2 meters	alterwards.	cleaning and disinfection.
Unclear	Dental care must always take into	protective equipment:	away; encourage hand	Effective saliva suction should	
Latest update	account the risk of spreading of	Protocuro e desprisión	washing or hand disinfection.	be used.	
22.04.2020	infection; follow general	Clothing during AGP:	5		
	recommendation of good hand	For aerosol-generating	Proper hand hygiene is	AGPs in patients not tested	
https://www.sst.	hygiene and 1-2 meters distance	procedures, as an additional	performed before and after	for COVID-19:	
dk/da/udgivelser	to others	precautionary measure,	contact with all citizens. Use of	For patients who have not	
/2020/haandteri		disposable long-sleeve	protective equipment as	been tested for SARS-CoV-2	
ng-af-covid-19	Information on COVID-19	disposable coat and long-sleeve	specified in the section " <i>Reg.</i>	prior to aerosol-generating	
<u>kritisk-</u> funktioner-i-	symptoms should be posted on entrance to clinic	cuff / disposable apron should be used. In case of supply	dental protective equipment ".	procedures, the National Board of Health's principle of	
tandplejen		difficulties, disposable plastic	Contact surfaces (e.g.	precaution should be taken.	
	Waiting room:	aprons covering the neck can be	countertop) in the patient's	precaution should be taken.	
	- minimum of one meter distance	used. If disposable plastic apron	home should be cleaned	The use of a 3-in-1	
	between seating	is not available, it can be	before leaving the home.	syringe/handpiece should be	
	- remove newspapers,	changed to clean clinical	Ĭ	limited and drying must be	
	magazines, toys, beverages	clothing after each patient. The	Contact surfaces in the	effected by effective suction	
	from common jugs, etc.,	clinical clothes should be	dentist's car, including steering	and the use of cotton wool etc.	
	- focus on frequent and thorough	washed as specified in NIR for	wheel, gear lever and		
	cleaning	dental clinics, if applicable.	handbrake (for bicycle	Dental treatment such as	
		Instructions can be prepared		fillings and root canal	

6	May	2020

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	<ul> <li>poster with information on protective measures against coronavirus on the clinic door in waiting room.</li> <li><b>Personal hygiene:</b> <ul> <li>access to hand spirit in waiting room if possible and request patients adhere to good hand hygiene</li> </ul> </li> <li><b>Staff screening:</b> <ul> <li>Dental staff should pay special attention to their own symptoms and stay home or be sent home immediately with symptoms of COVID-19 (fever, cough, sore throat, headache and muscle soreness, which may be accompanied by nasal symptoms). Dental care personnel can return to work 48 hours after symptom relief. Personnel with mild respiratory symptoms may be tested by their own physician or medical officer.</li> </ul> </li> <li><b>Patient triage:</b> <ul> <li>Patients with respiratory symptoms where COVID-19 may be suspected or patients with proven COVID-19 should not be treated in [primary dental clinics] but should be referred to hospital</li> </ul> </li> <li>Patients should not be referred for treatment which is usually performed in the primary sector which is not acute/critical. For Dental, Oral and Oral Surgery that is acute/critical, the patient can be</li> </ul>	locally for the removal of clinic clothes, if applicable using a short video. Mask and eye protection: Visor or goggles can be multiple use, cleaned and disinfected (according to the manufacturer's instructions) between each patient. In case of supply difficulties, full-face visors can be used alone (except for surgical procedures). Ordinary glasses and magnifying glasses can be used if they are designed for protection. Mask should be tight-fitting and cover nose and mouth. The mask must retain at least 98% of microorganisms (type II), but does not have to be R type. As masks become leaky when moistened, they must be changed regularly and always after each patient.	handlebar and saddle) is sanitised after each visit.	treatment that necessitate the use of an air rotor, turbine, handpiece and angle piece should not be undertaken unless it is an emergency that cannot be postponed until after test results for SARS-CoV-2. For emergency treatment, effective saliva suction should be used with assistance [four- handed dentistry] and rubber dam used when it is technically feasible. At the end of treatment, the treatment room must be briefly ventilated before the next patient. Dental cleaning (scale and polish/scale and root planning) and the treatment of periodontitis must be done with the use of hand instruments. <b>Prescribing</b> Prescribing antibiotics and painkillers after conducting an individual telephone assessment of the patient: 1. Painkillers for short-term treatment (up to a couple of weeks in minimum packs), where milder preparations prior to prescription have not proved sufficiently successful. 2. Prescription antibiotics where it is obvious that infection is not due to any other disease that falls within the medical field	

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	Asymptomatic patients requiring			Midazolam - children and	
	AGPs or other procedures that are			adolescents who have no	
	considered to pose a special risk in dental care, may be prescribed			symptoms of infection or are infected with COVID-19,	
	a test for SARS-CoV-2. The test			Midazolam use should follow	
	can be prescribed by the dentist or			existing guidelines followed.	
	dental hygienist. The test				
	responses should be available			Nitrous oxide can be used	
	prior to scheduling.			provided that the hoses are	
	If the test is positive for SARS-			always be retreated properly	
	CoV-2 prior to scheduled procedure, the procedure is			with cleaning and disinfection. Disinfection with heat is	
	postponed. The patient should be			preferred. Alternatively, if	
	informed to self-isolate for 7 days			possible, disposable hoses	
	according to recommendations			may be used.	
	and if symptoms appear within the				
	7 days, the patient must self-				
	isolate for 48 hours after symptom cessation.				
	Cessalion.				
	Patient scheduling:				
	- telephone and video				
	consultations should be used				
	where possible				
	<ul> <li>It is essential that there is easy access to telephone contact</li> </ul>				
	with the dentist; there may be a				
	need to extend telephone time.				
	Electronic scheduling must not				
	be possible.				
	- plan fewer appointment times				
	so that there is a lower daily patient flow in the clinic and				
	fewer patients in the waiting				
	room.				
	- Assessments should focus on				
	whether dental work can be				
	postponed without affecting				
	morbidity, taking into account:				
	seriousness and severity of the disease / condition; risk of				
	exacerbating the disease if not				
	treated, including increase drug				
	consumption; risk of the				

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
Country: Malta Source: Ministry for Health Date of publication: 18.03.2020 https://deputypri meminister.gov. mt/en/health- promotion/Docu ments/Guidance %20for%20Dent al%20Practices %20in%20Malta %20%20Covid1 9.pdf	disease / condition becoming chronic if not treated; impact on quality of life; influence on function and / or ability to work - When booking consultations advice should be given to not show up with symptoms of COVID-19 (fever, cough, sore throat, headache and muscle soreness, which in some may be accompanied by symptoms from the nose). - Vulnerable patients (those at risk of greater COVID-19 severity) should not be scheduled for examination or treatment in clinics where aerosol-generating procedures have just been performed. <b>Staff screening:</b> Staff should be screened for symptoms prior to entry into the dental practice <b>Patient triage:</b> Patient walk-in should be discouraged. Patients should be contacted by telephone and questioned regarding signs, symptoms and risk factors of COVID-19. Patients should be screened on arrival through a questionnaire, forehead thermometer and instructed to use alcohol hand rub. <b>Patient should</b> be spread out (20-30mins) to effectively disinfect all areas and avoid cross infection between	For non-COVID-19 patients: Clinicians should wear disposable surgical masks, protective eyewear/face-shields and disposable gloves For suspected/confirmed COVID-19 patients: Patients who have tested positive or are suspected positive for COVID-19 should have treatment postponed until recovery. If they need to be seen, staff need to wear full PPE including FFP3 masks, gowns, gloves and cap and visor.		Four handed dentistry should be performed. Anti-retraction hand pieces should be used and only if absolutely necessary. The patient should be given a 1% hydrogen peroxide or 0.2% povidone rinse prior to the treatment. Treatment should be conducted under rubber dam and high-volume suction. Hand-instruments should be used whenever possible to decrease airborne droplets. Extra-oral radiography is recommended in preference to intra-oral radiography.	Cleaning and disinfection procedures: Surfaces must be disinfected before and after each procedure or patient contact. All instruments should be sterilised according to standard protocol. Clinical areas need to be disinfected with Sodium Hypochlorite (this process can take up to two hours) for patients who have tested positive or are suspected positive for COVID-19 and received treatment in the dental practice. Clinical waste disposal: Medical waste should be disposed of as appropriate.
	patients in waiting rooms.				

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
Country: USA Source: Centers for Disease Control and Prevention (CDC) Date of publication: Unclear Latest update 27.04.2020 https://www.cdc. gov/coronavirus /2019- ncov/hcp/dental -settings.html	<ul> <li>Staff screening: Screen all staff at the beginning of their shift for symptoms of COVID-19 and actively measure their temperature</li> <li>Patient triage: Telephone screen all patients for signs or symptoms of respiratory illness and systematically assess the patient at time of check-in at the dental clinic</li> <li>If a patient arrives with suspected or confirmed COVID-19, defer dental treatment, provide the patient a mask and refer the patient home or if acutely unwell to a medical facility</li> <li>Patients with COVID-19 can receive dental care: <ul> <li>(non-test based): At least 72 hours since recovery and 7 days since first symptoms appeared.</li> <li>(test-based) Following resolution of fever and improvement of respiratory symptoms and negative results of FDA approved COVID-19 tests from two swabs ≥24 hours apart.</li> <li>(test-based) 7 days since a laboratory positive COVID-19 test with no symptoms</li> </ul> </li> </ul>	All staff: Staff should wear a facemask at all times Cloth face coverings can be used by staff that do not require PPE (such as clerical staff) and by all staff not engaged in direct patient care activities Non-AGPs: The following PPE should be worn before entering a patient room or care area: - A N95 respirator or surgical mask with full-face shield - Eye protection (goggles or full-face shield) - An isolation gown - Gloves AGPs: During aerosol generating procedures a N95 respirator or equivalent is required	Suspected/confirmed COVID-19 patients: Treatment on a patient with suspected or confirmed COVID-19 should be undertaken in an isolation room with negative pressure and use of an N95 mask	Non-AGPs: Avoid aerosol generating procedures (including dental hand pieces, air-water syringe and ultrasonic scaler) Priority for minimally invasive/atraumatic restorative techniques AGPs: If aerosol generating procedures are necessary clinician should use: - Four handed dentistry - High evacuation suction - Dental dams Only essential staff should be present. There should be no visitors for the procedure	Cleaning and disinfection procedures: Hand washing with alcohol (60-95%) based hand rub or soap and water for at least 20 seconds Routine cleaning and disinfection of room surfaces (e.g. cleaners and water to clean surfaces before applying an EPA-registered hospital grade disinfectant) Clean and disinfect all reusable dental equipment according to manufacturer's instructions Clinical waste disposal Manage laundry and medical waste in accordance with routine procedures
Country: USA Source: American Dental Association	Reopening practice: - Distribute patient letter as practice opens reassuring patients of infection control measures and updated process in place.	All staff: Front desk staff can wear masks and googles, or face shields, or offices can install a clear barrier Clinical staff:	Cross infection procedures: Limit paperwork in surgery. Cover paper notes with barrier.	Decide on treatment using clinical judgement: - Patient health/risk factors/geographic incidence of COVID-19 - Availability of PPE	Cleaning and disinfection procedures: Clean the surgery while wearing gloves, mask and face shield (or goggles)

#### Post-operative Practice preparation and PPE for dental practice Management of the Reference Dental procedures cleaning/disinfection/waste patient considerations personnel clinical room management - Shock unit water lines after Professional judgement should Cover keyboard with - Procedural Dispose of surface barriers Date of publication: prolonged closure (consult be exercised with regards to cleansable/replaceable barrier requirements/clinical risk after each patient 24.04.2020 manufacturer instructions) disposable foot/head covers. and change between patients. (aerosol production, ability - Consider supplies. to use rubber dam. If surfaces are dirty, they https://success. - Consider soft launch -Use highest level of PPE inducement of patient should be cleaned with soap ada.org/~/media introducing new strategies and available. Assume all patients cough) and detergent prior to /CPS/Files/Ope can transmit disease. disinfection reasons for them. Practice n%20Files/ADA before welcoming patients. Use professional judgement to Return to Wo N95 (low risk), KN95 (low risk), employ lowest aerosol Replace surface barriers - Emphasise hand hygiene and rk Toolkit.pdf Surgical mask (moderate risk) generating armamentarium for cough etiquette for everyone with face shield or goggles restorative/hygiene care (hand - Consider patient flow into and Include other evacuation Patient For clinical staff, if available scaling) through practice, timing surgery systems gowns should be used. Change screening utilisation and sterilisation. staff gowns if soiled. Dispose gowns Use high velocity evacuation **Disinfection products:** questionnaire routines (don and doffing of or launder after each use. available. PPE), appointment where possible For disinfection use products suitable for SARS CoV-2 scheduling/timing. Staff screening Remove mask outside of questionnaire Patient/staff flow: operating room Laundry: and log - Limit access to surgery (only Staff uniforms (scrubs) should available. Replace mask if it is soiled. be laundered in practice or patient if possible) & provide also a mask and shield to any damaged or hard to breathe contracted to laundry service through accompanying person - Keep staff entry to a minimum Strict hand hygiene measures: in surgery. - Upon entry - Don mask prior to entry to - Before and after contact with surgerv. patients - No handshaking or contact. - Wash hands and don gloves in - After contact with contaminated surfaces or surgery - Confirm patient screening equipment - After removing PPE questions Long sleeves should be worn. Staff screening: - Pregnant staff should follow available guidance. Limit exposure to AGP - Consider screening checkpoint and log for all staff. **Reception:** - Wipes should be provided to clean surfaces that patients may touch.

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	- A hand sanitation station should				
	be available upon entry into facility with a notice for people				
	to use this before entry				
	- Tissues, alcohol-based hand				
	rubs, soaps at sinks and trash				
	cans should be provided - Chairs should be placed 6 feet				
	apart and barriers should be				
	used if possible				
	<ul> <li>Toys, reading materials, remote controls or communal objects</li> </ul>				
	should be removed or cleaned				
	regularly				
	- On a regular schedule, wipe all				
	touchable surface areas with an approved cleaner.				
	- Consider individual phone				
	headsets for each front desk				
	staffer to reduce virus spread				
	Patient triage:				
	- Pre-appointment patient				
	screening Patient questionnaire repeated				
	and temperature taken on				
	arrival at the dental clinic. If this				
	is elevated, supply patient with a mask and alert the dentist.				
	- Reminder for				
	patients/guardians to limit the				
	number of companions to				
	reduce people in reception area - If suitable, patients can wait in				
	their car and can then be called				
	or messaged to enter the				
	practice.				
	<ul> <li>Patients should be asked to bring their own pens to use</li> </ul>				
	- If patients cancel due to illness,				
	practices may consider waiving				
	cancellation fees				
	<ul> <li>Postoperative instructions should include a reminder to</li> </ul>				
	Should include a reminder to				

#### Post-operative Practice preparation and PPE for dental practice Management of the Reference **Dental procedures** cleaning/disinfection/waste patient considerations personnel clinical room management notify practice if develops signs or symptoms of COVID-19 in next 14 days. Reception area: Non-AGP rooms: Non-AGPs: **Cleaning and disinfection** Country: All staff including disinfecting Following AGPs the patient is - Extraoral radiographs procedures Canada - Enhanced cleaning. treatment rooms: Source: discharged and guided to the including twice daily recommended (minimise - Level 1 mask as a minimum The College of reception area for post-op - Eve protection cleaning of high touch use of intraoral radiographs) AGP rooms: Dental instructions, processing and exit surfaces - Utilise hand instruments - The operatory door and - Gloves Surgeons of - Scrubs - Patient should perform room must remain closed only Saskatchewan ABHR prior to exiting the Patient advice: - Maintain social distancing - Utilise four-handed dentistry and air to settle for 120 (CDSS) Alert -- Escorts can only accompany operatory room - Do not use air water minutes after AGPs before COVID-19 minor patients only (children) Non-AGPs: - Clean operatory room and syringes cleaning. If the number of Pandemic: IPC clinical contact and - Do not use ultrasonic air changes per hour in the - Level 2 or 3 mask - Pandemic informed consent interim protocol housekeeping surfaces as room permits, the settle - Eye protection (glasses, instruments - Patient hand hygiene update per normal SOHP Infection time can be decreased goggles or face shield) - Do not use high-speed Date of Prevention Control - Following appropriate Patient triage: - Scrubs rotary hand pieces or publication: settling time, clean clinical Standard for Oral Health electric low-speed hand - Patient risk assessment - Gloves 27.04.2020 contact and housekeeping screening (SHA COVID-19 - Lab coat or gown if patient Care Facilities (04-01 to 04pieces with air and water Effective from: surfaces as per normal Screening Tool – 27<sup>th</sup> March 05) contact 04.05.2020 2020) All patients: SOHP Infection Prevention https://media.or AGP rooms: patients to perform pre-Control Standard for Oral - Thermometer temperature vital Intermediate risk AGPs with alhealthoroup.c - AGP operatory rooms must procedural 1% hydrogen Health Care Facilities (04sign screening (<38°C) dental dam: om/uploads/202 01 to 04-05) - N95 or K95 respirator (fitted) be isolated rooms from floor peroxide mouth rinse for 60 - All urgent dental treatment for 0/04/20200427 - Face shield or goggles to ceiling with an entry or seconds and expectorated patients who have been CDSS IPC Inte identified as moderate or high - Cap/bouffant entries that must be closed into the same dispensing cup Donning and doffing rim Protocol U procedures and clinical and secured during the - Gown/lab coat (with cuff) risk for COVID-19 or have been pdate.pdf AGP (temporary isolation Treatment types: waste disposal: confirmed as COVID-19 - Gloves rooms can be designed -Dental procedures included in - PPE must be doffed in the positive must be provided by a hoarding with plastic and a Phase1: decontamination side of the SHA Level 3 provider in the High risk AGPs without framed or zippered door) - any emergency NAGP or anteroom appropriate facility rubber dam: - Enhanced cleaning. emergency AGP - Doffing station includes: - N95 or K95 respirator (fitted) including frequent cleaning - Examinations and laundry receptacle with lid, Patient scheduling: - Face shield of high touch surfaces Vulnerable patient appointment consultations garbage receptacle with lid, - Cap/bouffant - Remove all unnecessary eve protection disinfection times on specific days or early in - Gown/lab coat (with cuff) - Simple extractions (NAGP) - Hygiene – hand scaling receptacle with lid cabinets, fixtures and nonthe day - Gloves - Leaving the room: with essential supplies or only and no ultrasonic - Fewer appointment times products, including pictures instrumentation gloved hands, remove the - Stagger appointment times or artwork gown or lab coat and gloves - Preventive procedures - AGP signage should be such as the application of with gloved hands only placed at the entrance to topical agents (fluoride, touch the outside of the the room silver diamine fluoride, etc.) gown, grasp the gown and - AGP rooms must have a pull away from the body Oral & maxillofacial without rapid movements. Donning (clean side or radiology procedures roll gown/coat inside out area) and Doffing

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
			<ul> <li>(decontamination side or area) anteroom or hallway area</li> <li>PPE must be donned in the clean side of the anteroom immediately before entering the AGP operating room (do not go anywhere else once PPE is donned)</li> <li>Operating room door to remain closed during the procedure. Only the dentist, dental assistant and patient will be permitted access. The door should only be opened once when discharging the patient and for clinical staff to exit.</li> </ul>	<ul> <li>Orthodontic procedures (NAGP)</li> <li>Removable prosthodontic procedures</li> <li>Cementation of previously fabricated fixed prosthodontics</li> <li>Temporomandibular dysfunction management and procedures</li> <li>Medical management of soft tissue presentations</li> <li>Oral pathology and oral medicine procedures</li> <li>Periodontal procedures</li> <li>Periodontal procedures</li> <li>Urgent endodontic procedures</li> <li>Urgent restorative procedures</li> <li>Urgent opplex extractions</li> <li>Dental public health initiatives including community programing and preventive measures.</li> <li>Dental procedures not included in Phase 1:</li> <li>All elective and non-urgent AGP</li> <li>Hygiene ultrasonic instrumentation</li> <li>Selective polishing /prophy</li> <li>Laser instrumentation</li> <li>Dental implant placement Nitrous oxide sedation</li> </ul>	into a bundle, simultaneously remove gloves inside out. Discard gown and gloves immediately. Lab coats should be transferred to the laundry receptacle avoiding contact with "clean" surfaces. Perform hand hygiene - Remove eye protection at sides with the hands without touching facial skin and place in the disinfection or garbage receptacle - Remove cap or bonnet by grasping at the rear and pulling forward off the head and place in the laundry or garbage receptacle - Remove N95 respirator with touching the front of the mask and discard garbage receptacle or stored in a sealed labelled receptacle for possible future decontamination - Perform hand hygiene - Put on a clean surgical mask
Country: Australia Source: Australian Dental Association	Reopening practice: - What additional surgery re- commissioning or maintenance procedures need to be undertaken before commencing more routine care (for example,	Moderate risk of COVID-19: Surgical masks and eye protection protect the wearer from droplet contamination of the nasal or oral mucosa, or conjunctivae.		Non-AGPs: Provision of dental treatments that are unlikely to generate aerosols or where aerosols generated have the presence of minimal saliva/blood due to	Cleaning and disinfection procedures For those at risk of COVID- 19 previous publication recommended: applying two

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
Date of publication: 23.04.2020 https://www.ada .org.au/Covid- 19- Portal/Cards/De ntal- Profesionals/Gu idelines-and- Risk- Factors/Practica I-Advice-for- stepping-back- to-Level-2-Rest	<ul> <li>has any validation and maintenance that was deferred during closures now been completed)?</li> <li>What water management processes need to be undertaken following the non- use of dental unit waterlines for an extended period?</li> <li>Has stock, including medications been checked to avoid the use of out of date materials?</li> <li>What staffing and PPE requirements are anticipated?</li> <li>What patient screening and risk mitigation protocols will be maintained while ensuring that all staff are up to date with these protocols?</li> <li>What refresher training is required for team members who have not been working?</li> <li>How will patients be prioritised according to their treatment needs (e.g. periodontally compromised, high caries risk) when restrictions are lifted further?</li> <li>How will patients be managed who may have missed their regular care cycle? Checklist for practice start up: Water</li> <li>Turn on the mains water supply as the first action of the start-up process. Listen and look for any water leaks. <u>Detail chair</u></li> <li>Check the dental unit manufacturer's instructions for the correct protocol for waterline treatment for chair</li> </ul>	Use of appropriate PPE (this includes disposable gowns, gloves and eye protection Minimising patient transfer or get the patient to wear a surgical mask while they are being transferred and to follow cough etiquette. Patients confirmed with COVID- 19 may either be a hospital in- patient or being managed by 'hospital in the home Airborne precautions include the need for the patient to be treated in a negative pressure room, with dental staff wearing P2/N95 respirators which have been previously fit-tested, and then fit checked at time of use All confirmed coronavirus cases will only have dental treatment as in-patient or within a hospital setting by appropriately trained dental personnel.		<ul> <li>the use of rubber dam. This includes: <ul> <li>Examinations</li> <li>Simple non-invasive fillings without use of high-speed handpieces</li> <li>Restorative procedures using high speed handpieces only provided with the use of rubber dam</li> <li>Non-surgical extractions</li> <li>Hand scaling (no use of ultrasonic scalers)</li> <li>Medical management of soft tissue presentations (such as ulcers)</li> <li>Temporomandibular dysfunction management</li> <li>Denture procedures</li> <li>Preventative procedures such as the application of topical remineralising agents e.g. fluoride</li> <li>Orthodontic treatment</li> </ul> </li> <li>Use a pre-procedural mouthwash, use a dental dam for any procedures generating aerosols.</li> <li>Under level 2 restrictions, it is acceptable to complete courses of care that are underway such as cementation of a crown. A dental dam must be used to minimise the potential for saliva to become aerosolised inadvertently.</li> </ul>	complete cycles of cleaning of all environmental surfaces using detergent and disinfectant (as per contact transmission-based guidelines).

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	- Check that any external water			dental dam isolation is	
	bottle attached to the dental			permitted under Level 2	
	chair is free of visible biofilm			restrictions.	
	growth. Fill the bottle with water				
	and add any required chemical			AGPs	
	treatment agents to the water			Defer all treatments that are	
	that will feed into the chair.			likely to generate aerosols	
	- Flush out each waterline for at			which may include the use of	
	least 2 minutes, holding them			<ul> <li>high-speed handpieces</li> </ul>	
	over the intake of the high-			without the use of rubber	
	velocity evacuator one			dam	
	waterline at a time.			<ul> <li>ultrasonic scalers</li> </ul>	
	- After this has been done, flush			<ul> <li>surgical handpieces</li> </ul>	
	all the suction lines using the				
	recommended agent, and then			All surgical extractions should	
	run several cups of tap water			be referred to specialist oral	
	down the suction hoses.			surgeons/oral and maxillofacial	
	<ul> <li>Other equipment containing</li> </ul>			surgeons who will undertake	
	water reservoirs			these procedures using	
	- Fill the water storage bottles in			transmission based	
	operatory or laboratory			precautions.	
	equipment, including benchtop				
	ultrasonic scalers with separate			Elective implant dental	
	water bottles, CAD-CAM milling			treatment should be delayed.	
	workstations (coolant for cutting				
	burs), hard tissue lasers (water			Urgent dental treatment for	
	for cooling during cavity			people who DO meet	
	preparation), and the like, with			epidemiological or clinical	
	the appropriate type of water,			symptom criteria for COVID-19	
	and include any required			risk or confirmed as a COVID-	
	additives.			19 case, provided as per ADA	
	Suction system and			Managing COVID-19	
	compressor			Guidelines.	
	- Check whether any specific			Treatment times	
	actions are needed for the			Treatment types	
	compressor (e.g. closing off the			Confirmed COVID 40 second	
	drain of the compressed air			Confirmed COVID-19 cases:	
	reservoir, then restart the			For provision of	
	compressor. Check that			urgent/emergency treatment	
	compressed air pressure rises			use airborne precautions which includes	
	and there is no obvious leaking or malfunction.				
				treatment in a negative	
	- Turn on the power to the			pressure	
	suction system.				

Ultrasonic cleaner       room using a fit-tested P2         - Turn on the unit at the mains power outlet.       respirator that is fit-checked at time of use. This is typically provided in a public hospital by appropriately trained perform the aluminium foil perform the aluminium foil there are perforations across the foil sheet(s). Then discard the chamber contents, rins the chamber with water, refill the chamber with water and tresh additive, then degas once more. The ultrasonic cleaner is now ready for use.       For probable CVID-19 cases: For provision of urgent/emergency treatment use droplet precautions in additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the water gowner. Lasting procedures).         Steame the chernical supply tanks are connected and have sufficient levels of chemicals, and that the water supply taps are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the result (as part of normal performance testing procedures).       the day, avoid patient being in the wating room, use pre- procedural mouthwash, place all disposable times in a separate bag before disposal separate bag before	operative infection/waste igement
power outlet.time of use. This is typically provided in a public hospital by appropriately trained performance check. Ensure that the foil sheet(s). Then discard there are performance check. Ensure that the foil sheet(s). Then discard the real method in the sheet s	<u> </u>
<ul> <li>Rinse the chamber thoroughly with tap water, and drain this out, before refilling with tap water. Add the required additive, then degas and performance check. Ensure that any term of the aluminium foil performance check. Ensure that the value of the real performance check. Ensure that the value of the real performance check and the required the chamber contents, rinse the chamber contents, rinse the chamber on the additive, then degas once more. The ultrasonic cleaner is now ready for use.</li> <li>Washer disinflector</li> <li>Ensure that any term of the real supply taps and that the water supply taps are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).</li> <li>Steam sterilizer</li> <li>Make sure the unit has the data card (if appropriate) replaced.</li> </ul>	
with tap water, and drain this out, before refilling with tap water. Add the required additive, then degas and performance check. Ensure that the rear perforations across the foil sheet(s). Then discard the chamber contents, inise the chamber with water, refill the chamber with	
out, before refilling with tap water. Add the required additive, then degas and perform the aluminium foil performance check. Ensure that the foil sheet(s). Then discard there are perforations across the foil sheet(s). Then discard the chamber contents, rinse the chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.For provide precautions in addition to standard performance urgent/emergency treatment use droplet precautions in addition to standard precautions and additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the dward, wold patient being in the west, include a soil test in every load and record the results (as part of normal performance testing procedures). Steam sterilizerpersonnel.Wake sure the unit has the data card (if appropriate) replaced.surfaces potentially contaminated using detargentSteam sterilizer or y deionzedcontaminated using detargent	
water. Add the required additive, then degas and perform the aluminium foil performace check. Ensure that there are perforations across the foil sheet(s). Then discard the chamber contents, rinse the chamber with water, refil the chamber with water, refil the chamber with water, refil the chamber is now ready for use.For provision of urgent/emergency treatment use droplet precautions in addition to standard additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using denti dam. See patient at the water supply taps are turned back on. The num on the power. When the unit is used, include a soil test in every load and record the results (as pat of normal performance testing procedures). Steam sterilizerFor probable COVID-19 cases: For provision of urgent/emergency treatment use droplet precautions and additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the wating room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal testing procedures). Steam sterilizer Make sure the unit has the data card (if appropriate) replaced.surfaces potentially contaminated using detergent	
additive, then degas and perform the aluminium foil performance check. Ensure that there are perforations across the foil sheet(s). Then discard the chamber contents, rinse the chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.For provision of urgent/emergency treatment use droplet precautions in additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cases:.Steam sterilizer Make sure the unit has the data card (if appropriate) replacedSteam sterilizer Make sure the unit has the data card (if appropriate) replacedSteam sterilizer Make sure the unit has the data card (if appropriate) replacedSteam sterilizer Make sure the unit has the data card (if appropriate) replacedEnsure that any deionized	
perform the aluminium foil performance check. Ensure that there are perforations across the foil sheet(s). Then discard the chamber contents, rinse the chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.cases: For provision of urgent/emergency treatment use droplet precautions in addition to standard precautions and additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or whasher disinfector• Ensure the chemical supply tanks are connected and have sufficient levels of chemicals, and that the water supply taps are turned back on. Then turin on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).by using dental dam. See patient as the data care (if appropriate) procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaner that any deionized• Ensure that any deionizedSufficient levels procedures).	
performance check. Ensure that there are perforations across the foil sheet(s). Then discard the chamber contents, rinse the chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.For provision of urgent/emergency treatment use droplet precautions in addition to standard precautions and additional appropriate PPE including fluid impervious disposable growns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled sufficient levels of chemicals, and that the water supply taps are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).For provision of urgent/emergency treatment addition to standard precautions and addition to standard precautions and addition to standard precautions and addition to standard precautions and addition to standard precautions and the day acoust patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentiallythe day active the unit has the data card (if appropriate) replaced.the day contaminated using detergent	
there are perforations across the foil sheet(s). Then discard the chamber contents, rinse the chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.urgent/emergency treatment use droplet precautions in addition to standard precautions and additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the waiting room, use pre- procedural motivmash, place all disposable items in a separate bag before disposal in general waste, apply two schean sterilizere. Steam sterilizer to difficant surply tanks are connected the data card (if appropriate) replaced.erespiratorsor difficant surply tanks are the unit has the data card (if appropriate) replaced.erespirate sufficient levels of chemical surply topsand that the waite supply toad and record the results (as pat of normal performance testing procedures).erespirate aerosols scheant set has the data card (if appropriate) replaced Steam sterilizer to difficant any deionizederespirate aerosol scheant any deionizedgeneral waste, apply two scheant set als tops potential centaring of all environmental surfaces potentially contarinated using detergent	
the foil sheet(s). Then discard the chamber contents, rinse the chamber with water, refill the chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.use droplet precautions in addition to standard precautions and additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols or or where aerosols are controlled by using dental dam. See patient as the last patient of the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waster, apply two sare turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as pat of normal performance testing procedures).use the unit has the data card (if appropriate) replaced.Make sure the unit has the data card (if appropriate) replaced.Steam sterilizercall disposable items in a sufficient levels of all environmental sufficient levels of all environmental sufficient levels of normal performance testing procedures).sufficient levels of all environmental sufficient levels of all environmental sufficient as the data card (if appropriate) replaced.contaminated using detergent	
the chamber contents, rinse the chamber with water, refill the chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cara (if appropriate) replaced.Make sure the unit has the data card (if appropriate)Attact the data cara turned back on itemsMake sure the unit has the data card (if appropriate) replaced.Attact temperate contaminated using detergent	
chamber with water, refill the chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.precautions and additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental card (if appropriate)Steam sterilizer card (if appropriate)Make sure the unit has the data card (if appropriate)Ensure that any deionized	
chamber, add fresh additive, then degas once more. The ultrasonic cleaner is now ready for use.additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting rook way. It has the data card (if appropriate) replaced.additional appropriate PPE including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental cleaning of all environmental surfaces potentially contaminated using detergent	
then degas once more. The ultrasonic cleaner is now ready for use.including fluid impervious disposable gowns and fit- checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient being in the waiting room, use pre- procedural mouthwash, place all disposable inters in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental cleaning of all environmental cleaning of all environmental cleaning of all environmental surfaces potentially contaminated using detergent	
for use.checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place part of normal performance testing procedures).checked P2 respirators. Only provide treatment that does not generate aerosols or where aerosols or by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place al disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental cleaning of all environmental surfaces potentially contaminated using detergent	
Washer disinfectorprovide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient levels of chemicals, and that the water supply taps are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).provide treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the latar. See patient as the latar being in the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent	
<ul> <li>Ensure the chemical supply tanks are connected and have sufficient levels of chemicals, and that the water supply taps are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).</li> <li>Steam sterilizer</li> <li>Make sure the unit has the data card (if appropriate) replaced.</li> <li>Ensure that any deionized</li> <li>not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent</li> </ul>	
tanks are connected and have sufficient levels of chemicals, and that the water supply taps are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental card (if appropriate) replaced.• Ensure that any deionized• Ensure that any deionized• where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental surfaces potentially contaminated using detergent	
sufficient levels of chemicals, and that the water supply taps are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental card (if appropriate) replaced.Make sure the unit has the data card (if appropriate) replaced.cycles of environmental surfaces potentially contaminated using detergent	
and that the water supply taps are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent	
are turned back on. Then turn on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent	
on the power. When the unit is used, include a soil test in every load and record the results (as part of normal performance testing procedures).the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent	
used, include a soil test in every load and record the results (as part of normal performance testing procedures).procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergentUsed, include a soil test in every load and record the results (as part of normal performance testing procedures).procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent	
load and record the results (as part of normal performance testing procedures).all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent	
part of normal performance testing procedures).separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergentPart of normal performance in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent	
testing procedures).in general waste, apply twoSteam sterilizercycles of environmental- Make sure the unit has the data card (if appropriate) replaced.cleaning of all environmental- Ensure that any deionizedcontaminated using detergent	
Steam sterilizer       cycles of environmental         - Make sure the unit has the data card (if appropriate) replaced.       cleaning of all environmental         - Ensure that any deionized       contaminated using detergent	
<ul> <li>Make sure the unit has the data card (if appropriate) replaced.</li> <li>Ensure that any deionized</li> <li>Cleaning of all environmental surfaces potentially contaminated using detergent</li> </ul>	
card (if appropriate) replaced. - Ensure that any deionized surfaces potentially contaminated using detergent	
- Ensure that any deionized contaminated using detergent	
water reservoirs are filled with	
deionized water. Close off the transmission based	
drain control for the precautions.	
wastewater.	
- Turn the power on. Watch as For suspected COVID-19	
the sterilizer goes through its cases:	
start-up procedure. If there is a	
date/time shown on the display, urgent/emergency treatment	
check that this is correct, and use droplet precautions in addition to standard	
adjust as needed. addition to standard precautions. Only provide	

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	<ul> <li>Check that the chamber is empty (other than for racks), and run a warm-up cycle. For a pre-vacuum sterilizer, now run the air leakage test, to check the integrity of the door seals.</li> <li>Then run a suitable air removal test, e.g. a Bowie-Dick test, and record the results for this. <u>Electrical equipment</u></li> <li>Check the status of the refrigerator (which should be running), and then the contents for medicines or supplies that are nearing or have passed their expiry date.</li> <li>Turn on minor appliances in the staff area (e.g. electric jug, microwave oven).</li> <li>Ensure arrangements have been made for re-setting phone diversion, mail collection, parcel delivery and the like.</li> <li>Check that remote access to servers is working properly. <u>Scheduled medicines</u></li> <li>Ensure that sufficient supplies of all required scheduled medicines (including local anaesthetic) are available, within the use-by date, and are kept securely away from patient/public access.</li> </ul>			treatment that does not generate aerosols or where aerosols are controlled by using dental dam. See patient as the last patient of the day, avoid patient being in the waiting room, use pre- procedural mouthwash, place all disposable items in a separate bag before disposal in general waste, apply two cycles of environmental cleaning of all environmental surfaces potentially contaminated using detergent and disinfectant as per transmission based guidelines	
	<ul> <li>Waiting room:</li> <li>Remove unnecessary items in the waiting room including toys and magazines.</li> <li>Adjust seating in waiting room to ensure social distancing of at least 1.5 m between seats if possible.</li> <li>Regularly wipe down surfaces with &gt;60% alcohol-based wipes</li> </ul>				

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	or 0.1% sodium hypochlorite solution, including door				
	handles, reception desks,				
	phones.				
	- Any hospital-grade, TGA-listed				
	disinfectant that is used commonly against norovirus is				
	also suitable and use as per				
	manufacturer's instructions.				
	Patient scheduling:				
	- Prioritising patients who require				
	timely treatment that was excluded under Level 3				
	restrictions, such as extraction				
	of asymptomatic teeth that have				
	an associated infection (if				
	surgical extraction can be avoided);				
	- Re-scheduling examinations,				
	while avoiding aerosol				
	generation, including the use of				
	the air/water spray from a triplex;				
	- Resuming ongoing courses of				
	treatment that do not generate				
	aerosols, such as denture				
	fabrication stages and repairs, orthodontic reviews, mandibular				
	advancement splints and night				
	guards;				
	- Providing necessary restorative				
	treatment using dental dam isolation				
	- Re-instigating preventative				
	treatments and some hygiene				
	services by using hand				
	instrumentation only If your practice has on-site				
	parking, consider placing a sign				
	on the practice door asking				
	patients to wait in their car in				
	the car park and call the				
	practice upon arrival.				

Reference	Practice preparation and patient considerations	PPE for dental practice personnel	Management of the clinical room	Dental procedures	Post-operative cleaning/disinfection/waste management
	<ul> <li>Provide entry to the practice only immediately prior to their appointment or to use the bathroom. This allows patients to avoid waiting in the waiting room.</li> <li>If patients are waiting in their cars, pre-appointment questionnaires can be done over the phone.</li> </ul>				
	<ul> <li>Patient triage <ul> <li>returned from overseas or interstate travel in the past 14 days</li> <li>felt unwell, including but not limited to symptoms of COVID-19 such as fever, cough, sore throat or shortness of breath</li> <li>had any contact with a confirmed or suspected case of COVID-19 in the past 14days</li> <li>If the patient answers YES to any of these questions, advise them that you cannot provide routine dental care and reschedule the dental appointment for 14 days after their return from overseas, interstate or contact with a COVID-19 case, or when their symptoms have resolved and they are no longer considered a risk.</li> </ul> </li> </ul>				